

नेशनल लाईफको क्रुज डिनर

समय-समयमा ग्राहकमैत्री सुविधाहरू सञ्चालनमा ल्याउँदै आएको छ ।

बैकले देशभर फैलिएका आफ्ना एक सय ८२ शाखा, एक सय ३९ एटीएम, तीन विस्तारित काउन्टर र ९७ शाखा रहित ब्राँचहरू इकाइहरूबाट १५ लाख ४० हजार ग्राहकलाई आधुनिक बैकिङ सेवा प्रदान गर्दै आएको छ ।

गरेको अधिकतम मासिक योजनाअन्तर्गत लक्ष्य पुरा गर्न सफल अधिकतमहरूलाई नेपालको पर्वटकीय क्षेत्र सीताहा भ्रमण गराउने र नारायणी नदिमा सञ्चालन गरिएको नेपालको एक मात्र कुजको यात्रा गराउने उद्देश्यले कार्यक्रम आयोजना गरिएको हो ।

कम्पनीका प्रमुख कार्यकारी अधिकृत सहित प्रदेश प्रमुख,

विभागीय प्रमुख तथा विभिन्न शाखाका प्रमुखहरु सहित देश भरिभरि उत्कृष्ट व्यवसाय गरी योजनामा छनीट भएका करिब चार सय वरिष्ठ अभिकर्ताहरु कार्यक्रममा सहभागि दिए । कार्यक्रममा प्रमुख कार्यकारी अधिकृत सुरेशप्रसाद खत्रीको सभापतित्वमा उत्कृष्ट अभिकर्तालाई सम्मान गरिएको थियो ।



Technical Specification of 4WD Double Cab Pick-up

CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1 General	Double Cab Pickup, Right Hand Drive Model with four wheel drive, suitable for driving both in ON-ROAD condition giving smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and maneuverability/stability needed for safe driving in rough, sandy or slippery and hilly road conditions in Nepal at an altitude up to 2000 meter and in ambient temperature between -5°C to 50°C. The total seating capacity of double cab pickup should be at least 5 persons including driver. Gross Vehicle Weight of the vehicle not less than 3100 kg.	Make: Model: Country of Origin:
2 Engine	Water cooled diesel Engine, displacement (2100-2300 cc) developing rated Power Output not less than 140hp and Torque not less than 320 N-m at governed RPM (engine shall be fully equipped with all necessary items/accessories) for efficient fully load operation of double cab pickup at operating conditions, shall be equipped with cold starting device, direct electric starting system, heavy duty fuel filter.	Make: Model:
3 Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard (Euro III) +which is to be certified by Department of Transport Management.	
4 Gauges	Fitted with all the gauges, indicators, signals as necessary for efficient operation, functional monitoring, vehicle performance and maintenance that includes (but not limited to) Battery charge indicator, water temperature, fuel, oil pressure, transmission gauge, Signal for 4WD.etc. with all standard items of offered model vehicle	
5 Clutch	Dry, Single Plate.	
6 Transmission	Manual shift, at least Six Forward and one reverse, all forward synchromesh, floor mounted, 4WD engaged through control at driver.	
7 Ground Clearance	Minimum 200 mm. Higher ground clearance preferred	
8 Suspension	Suitable for toughest terrain, smooth ride, stable Handling and comfortable driving conditions.	


 Ministry of Labour and Transport
 Department of Transport Management
 Registrar, Nepal


 Mechanical Engineer

		Front: In depending torsion bar or coil spring and stabilizer. Rear: Leaf springs and shock absorbers	
9	Turning radius	Not more than 6.7 Meters	
10	Fuel tank capacity	Not less than 80 Liters	
11	Tyres	Standard Size	
12	Steering	Power assisted/Power Steering	
13	Brakes	Front Disc type, rear drum type, hydraulic operated on all wheels, and parking brake.	
14	Cab	4 doors, all metallic cab with insulated roof, right hand drive, laminated glass windscreen wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, two sun visors, and two side view mirrors and rear view mirror. Rear body to be metallic, pickup type with drop type tail board.	
15	Chassis and Frame	Steel, heavy duty high rigidity frame structure suitable for rough road conditions with hook at front.	
16	Essential Accessories	1. Head light, tail and light, reversing light and turn signals. 2. Cabin lights. 3. Speedometer/ odometer. 4. Heavy duty front bumper. 5. Spare wheel with tyre and tube 6. Jack with handle 7. Alloy Wheels 8. Front seat belt for driver and co-passenger 9. Front dual airbags system 10. Remote key less entry system 11. Fully Automatic Temperature Control 12. Power Windows 13. Central Door Locking System 14. Steering mounted audio control buttons. 15. Touch screen infotainment system (Manufacturer Fitted) Equipped with all accessories offered in standard model but not limited to the above items.	
17	Instructions	All signs and instructions in the vehicle shall be in English.	
18	Manuals	One copy of the Operator's and Owner's Manual in English shall be supplied with each vehicle.	
19	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied with each unit.	



Professional Engineer

20	Color	Standard	
21	Proven Performance	1. The vehicle offered shall be a current model under standard production. 2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and production capacity. 3. The vehicle offered shall be a current model under standard production by the manufacturer.	
22	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
23	Initial Service	The supplier shall provide with the vehicle all the necessary filters and spare parts required for the first two services, after the vehicle has been commissioned and accepted.	
24	Delivery	As per terms and conditions	

NOTE:

The major items are indicated by bold and highlighted letters/alphabets/figures in the Technical Specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



[Signature]
Mechanical Engineer

Bijaya Adhikari
Mechanical Engineer
Transport Management Office, Sawari
Rupandehi,